
SOX low pressure sodium



"the ultimate light efficacy"





SOX Low pressure Sodium

Introduction:

SOX lamps have a U-shaped discharge tube in an evacuated tubular outer bulb that is coated with an Infra-red Reflective Layer.

They have extremely high luminous efficacy and exhibit a monochromatic yellow colour, so no colour rendering. SOX lamps use either a ballast and an ignitor, a leak-transformer, or HF electronic gear

Low Pressure Sodium

Lamps exist in

two families:



MASTER SOX-E



SOX Pro





SOX

Low pressure Sodium

Application areas:

Road lighting

- Road lighting
- Tunnel lighting
- Marshalling yards
- Railway crossings

Area lighting

- Airports
- Industrial areas
- Harbours and docks
- Security and orientation lighting





SOX Low pressure Sodium

Benefits & Features

SOX Pro:

Benefits:	Features:	
 Better lumen and Watt maintenance Higher efficacy Longer life 	 Unique dimples spread evenly over the length of the discharge tube 	
 No early failures when sodium moves behind the electrodes Avoids lamp breakage caused by traffic or natural vibration 	 Sodium resistant lead in wire construction NiFeCr-alloy Arc tube support construction SOX 180W and SOX-E 131W 	





SOX Low pressure Sodium Benefits & Features

MASTER SOX-E:

Benefits:	Features:	
Has the same Benefits as the SOX Pro	Has the same Features as the SOX Pro	
 Even higher lamp efficiencies The highest lamp efficiency within the HID product portfolio. 	Improved thermal insulation as compared to SOX Pro lamps	





SOX Low pressure Sodium Range Overview

Type designation	Light Output	Efficacy	Lamp
	(Im)	(Im/W)	Base
MASTER SOX-E 18W MASTER SOX-E 26W MASTER SOX-E 36W MASTER SOX-E 66W MASTER SOX-E 91W MASTER SOX-E 131W	1800	99	BY22d
	3600	137	BY22d
	6100	160	BY22d
	10500	165	BY22d
	17000	189	BY22d
	26000	203	BY22d
SOX Pro 35W SOX Pro 55W SOX Pro 90W SOX Pro 135W SOX Pro 180W	4550	123	BY22d
	7800	140	BY22d
	14300	146	BY22d
	22600	161	BY22d
	32000	179	BY22d



PHILIPS

SOX

Low pressure Sodium Technical Specification

Type designation	Colour Temp. (K)	Service lifetime
MASTER SOX-E 18W MASTER SOX-E 26W MASTER SOX-E 36W MASTER SOX-E 66W MASTER SOX-E 91W MASTER SOX-E 131W	1800 1800 1800 1800 1800 1800	14000 14000 14000 14000 14000
SOX Pro 35W SOX Pro 55W SOX Pro 90W SOX Pro 135W SOX Pro 180W	1800 1800 1800 1800 1800	12000 12000 12000 12000 12000





SOX Low pressure Sodium – SOX Pro Range







SOX

Low pressure Sodium – MASTER SOX-E Range







SOX Low pressure Sodium - References

